

## THE CLAIMS

---

Claims 1-11. (Canceled)

12. (Original) In a framework of attached forward and rearward hollow legs having upper ends, lower ends, handled structure attached to the upper ends and feet each attached to one of the lower ends, a method comprising steps of:

providing a decorative element;

al providing at least one of the forward and rearward legs with a window;

positioning the decorative element within the one of the forward and rearward legs; and

securing the decorative element to the one of the forward and rearward legs so that the decorative element is capable of being viewed through the window.

13. (Original) The method of claim 12, wherein the step of providing a decorative element further includes the step of providing a transparent receptacle containing decorative filling.

14. (Currently Amended) A kit of component parts capable of being assembled into a device for aiding a user in going on foot comprising a combination of:

decorative elements including transparent tubular segments carrying decorative filler; and

A1  
a framework having windows and opposing footed and handled ends and adapted to removably accommodate each of the decorative elements so that they may be viewed through the windows.

15. (Currently Amended) The kit of claim ~~20~~ 14, wherein the handled end comprises opposing handles, which are directed toward the footed end.

16. (Currently Amended) The kit of claim ~~20~~ 14, wherein the footed end is wheeled.

17. (Currently Amended) The kit of claim ~~20~~ 14, further including a storage bin adapted to be affixed to the framework.

18. (New) Ambulatory apparatus comprising:

a frame work having opposing handle and foot ends for supporting an individual and aiding ambulation thereof;

the framework including at least one tubular segment of transparent material;

at least one separate handle, for grasping by the individual, coupled to and closing the handle end of the framework; and

decorative filling carried within the at least one tubular segment.

19. (New) Ambulatory apparatus as claimed in claim 18 wherein the framework further includes:

at least one tubular member having a window therein;

the at least one tubular segment of transparent material carried within the at least one tubular member and visible through the window.

---